

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 06/19/2013 Supersedes: 10/24/2012

Version: 1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

Product Identifier Product form: Mixture Product name: H2PRO Detergent Intended Use Of The Product Use of the substance/mixture: For Professional Wetcleaning and Laundry Use Only.

Name, Address, And Telephone Of The Responsible Party

:

R. R. Street & Co. Inc. 215 Shuman Blvd. Suite 403 Naperville, IL 60563 T 630-416-4244, 800-323-7206 (Toll free) www.4streets.com

Emergency Telephone Number

Emergency number

866-303-6947 (Medical emergency, 24 hour); 800-424-9300 (Transportation emergency, 24 hour) 651-632-9272 (Medical, non-toll free); 703-527-3887 (Transportation, non-toll free)

SECTION 2: HAZARDS IDENTIFICATION

Classification Of The Substance Or Mixture

GHS-US classification Eye Irrit. 2A H319

Label Elements

GHS-US labeling Hazard pictograms (GHS-US)



	0.007
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H319 - Causes serious eye irritation
Precautionary statements (GHS-	: P264 - Wash exposed areas thoroughly after handling.
US)	P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.

<u>Other Hazards</u> Not available <u>Unknown acute toxicity (GHS US)</u> Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Name	Product Identifier	% (w/w)	GHS-US classification
Poly(oxy-1,2-ethanediyl), .alphasulfoomega	(CAS No.) 68585-34-2	5 - 10	Skin Irrit. 2, H315
hydroxy-, C10-16-alkyl ethers, sodium salts			Eye Irrit. 2B, H320
Sodium dodecylbenzenesulfonate	(CAS No.) 25155-30-0	5 - 10	Acute Tox. 4 (Oral), H302
			Eye Irrit. 2A, H319
Ethyl alcohol	(CAS No.) 64-17-5	1 - 5	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
Isopropyl alcohol	(CAS No.) 67-63-0	1 - 5	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319

06/19/2013

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		STOT SE 3, H336
Full text of H-phrases: see section 16		

Full text of H philases. See Section 10

SECTION 4: FIRST AID MEASURES Description Of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation persists.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist.

Ingestion: Rinse mouth. Do NOT induce vomiting. Get immediate medical attention.

Most Important Symptoms And Effects Both Acute and Delayed

General: Eye irritation

Inhalation: None expected under normal conditions of use.

Skin Contact: Contact during a long period may cause light irritation.

Eye Contact: Causes serious eye irritation.

Ingestion: Ingestion may cause nausea, vomiting and diarrhea, abdominal cramps and gastrointestinal irritation.

Chronic symptoms: Not available

Indication Of Any Immediate Medical Attention And Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media

Suitable extinguishing media: Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media: Do not use a heavy water stream. Use of heavy stream of water may spread fire (surrounding fire).

Special Hazards Arising From The Substance Or Mixture

Fire hazard: Not flammable.

Explosion hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions. Product is stable.

Advice For Firefighters

Precautionary measures fire: Exercise caution when fighting any chemical fire.

Firefighting instructions: Firefighters should wear full protective gear.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sulfur oxides.

Reference To Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment And Emergency Procedures

General measures: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

For Non-Emergency Personnel

Protective equipment: Use appropriate personal protection equipment (PPE).

Emergency procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective equipment: Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE). **Emergency procedures:** Ventilate area.

Environmental Precautions Prevent entry to sewers and public waters in concentrated form.

Methods And Material For Containment And Cleaning Up

For containment: Absorb and/or contain spill with inert material.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for cleaning up: Place absorbed material in closed containers for disposal.

Reference To Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions For Safe Handling

Hygiene measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

Conditions For Safe Storage, Including Any Incompatibilities

Additional hazards when processed: Follow all SDS/label precautions even after container is emptied because it may retain product residues.

Storage conditions: Keep container closed when not in use. Store in a dry, cool place. Store in properly labelled containers. **Incompatible materials**: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

For Professional Wetcleaning and Laundry Use Only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Ethyl alcohol (64-17-5)		
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
USA OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	1900 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm
USA IDLH	US IDLH (ppm)	3300 ppm (10% LEL)
Alberta	OEL TWA (mg/m³)	1880 mg/m³
Alberta	OEL TWA (ppm)	1000 ppm
British Columbia	OEL STEL (ppm)	1000 ppm
Manitoba	OEL STEL (ppm)	1000 ppm
New Brunswick	OEL TWA (mg/m³)	1880 mg/m³
New Brunswick	OEL TWA (ppm)	1000 ppm
Newfoundland & Labrador	OEL STEL (ppm)	1000 ppm
Nova Scotia	OEL STEL (ppm)	1000 ppm
Ontario	OEL STEL (ppm)	1000 ppm
Prince Edward Island	OEL STEL (ppm)	1000 ppm
Québec	VEMP (mg/m ³)	1880 mg/m ³
Québec	VEMP (ppm)	1000 ppm
Saskatchewan	OEL STEL (ppm)	1250 ppm
Saskatchewan	OEL TWA (ppm)	1000 ppm
Isopropyl alcohol (67-63-0)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	400 ppm

980 mg/m³

400 ppm

USA OSHA

USA OSHA

OSHA PEL (TWA) (mg/m³)

OSHA PEL (TWA) (ppm)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

USA NIOSH	NIOSH REL (ceiling) (mg/m ³)	1225 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	500 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	980 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
USA IDLH	US IDLH (ppm)	2000 ppm (10% LEL)
Alberta	OEL STEL (mg/m ³)	984 mg/m³
Alberta	OEL STEL (ppm)	400 ppm
Alberta	OEL TWA (mg/m³)	492 mg/m ³
Alberta	OEL TWA (ppm)	200 ppm
British Columbia	OEL STEL (ppm)	400 ppm
British Columbia	OEL TWA (ppm)	200 ppm
Manitoba	OEL STEL (ppm)	400 ppm
Manitoba	OEL TWA (ppm)	200 ppm
New Brunswick	OEL STEL (mg/m³)	1230 mg/m³
New Brunswick	OEL STEL (ppm)	500 ppm
New Brunswick	OEL TWA (mg/m³)	983 mg/m³
New Brunswick	OEL TWA (ppm)	400 ppm
Newfoundland & Labrador	OEL STEL (ppm)	400 ppm
Newfoundland & Labrador	OEL TWA (ppm)	200 ppm
Nova Scotia	OEL STEL (ppm)	400 ppm
Nova Scotia	OEL TWA (ppm)	200 ppm
Ontario	OEL STEL (ppm)	400 ppm
Ontario	OEL TWA (ppm)	200 ppm
Prince Edward Island	OEL STEL (ppm)	400 ppm
Prince Edward Island	OEL TWA (ppm)	200 ppm
Québec	VECD (mg/m ³)	1230 mg/m ³
Québec	VECD (ppm)	500 ppm
Québec	VEMP (mg/m ³)	985 mg/m ³
Québec	VEMP (ppm)	400 ppm
Saskatchewan	OEL STEL (ppm)	400 ppm
Saskatchewan	OEL TWA (ppm)	200 ppm

Exposure Controls

Appropriate engineering controls: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

Personal protective equipment: Not generally required. The use of personal protective equipment may be necessary as conditions warrant.

Materials for protective clothing: Not required for normal conditions of use.

Hand protection: Rubber gloves.

Eye protection: In case of splash hazard: chemical goggles or safety glasses.

Skin and body protection: Not available

Respiratory protection: Not required for normal conditions of use.

Other information: When using, do not eat, drink or smoke.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information On Basic Physical And Chemical Properties

Information On Basic Physical And Chemical Prope	erti	<u>es</u>
Physical state	:	Liquid
Appearance	:	Clear
Color		Colorless to light yellow
Odour	:	Mild
рН	:	6
Relative evaporation rate (butylacetate=1)	:	~0.3
Melting point	:	Not available
Freezing point	:	< 0 °C (32°F)
Boiling point	:	~ 100 °C (212°F)
Flash point	:	None (TCC)
Auto-ignition temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower flammable limit	:	Not available
Upper flammable limit	:	Not available
Vapour pressure	:	17 mm Hg (@20°C)
Relative vapour density at 20 °C	:	0.6 (air=1)
Relative density	:	Not available
Specific gravity density	:	1.04
Solubility	:	Miscible with water.
Log Pow	:	Not available
Log Kow	:	Not available
Viscosity, kinematic	:	Not available
Viscosity, dynamic	:	Not available
Explosion data - sensitivity to mechanical impact	:	Not available
Explosion data - sensitivity to static discharge	:	Not available

SECTION 10: STABILITY AND REACTIVITY

ReactivityHazardous reactions will not occur under normal conditions.Chemical StabilityStable at standard temperature and pressure.Possibility Of Hazardous ReactionsHazardous polymerization will not occur.Conditions To AvoidExtremely high or low temperatures.Incompatible MaterialsStrong acids, strong bases, strong oxidizers.Hazardous Decomposition ProductsCarbon oxides (CO, CO2). Sulfur oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information On Toxicological Effects - Product		
Acute toxicity	: Not classified	
LD50 and LC50 Data Not available		
Skin corrosion/irritation: Not classified (рН: 6).	
Serious eye damage/irritation: Causes se	erious eye irritation (pH: 6).	
Respiratory or skin sensitisation: Not cla	issified	
Germ cell mutagenicity: Not classified		
Teratogenicity: Not available		
Carcinogenicity: Not classified		
Specific target organ toxicity (repeated exposure): Not classified		
Reproductive toxicity: Not classified		
Specific target organ toxicity (single exposure): Not classified		
06/19/2013	EN (English)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard: Not classified

Symptoms/injuries after inhalation: None expected under normal conditions of use.

Symptoms/injuries after skin contact: Contact during a long period may cause light irritation.

Symptoms/injuries after eye contact: Causes serious eye irritation.

Symptoms/injuries after ingestion: Ingestion may cause nausea, vomiting and diarrhea, abdominal cramps and gastrointestinal irritation.

Information On Toxicological Effects - Ingredient(s)

LD50 and LC50 Data

Ethyl alcohol (64-17-5)		
LD50 oral rat	7060 mg/kg	
LC50 inhalation rat (mg/l)	124.7 mg/l (Exposure time: 4 h)	
Isopropyl alcohol (67-63-0)		
LD50 oral rat	4396 mg/kg	
LD50 dermal rat	12800 mg/kg	
LD50 dermal rabbit	12870 mg/kg	
LC50 inhalation rat (mg/l)	72.6 mg/l (Exposure time: 4 h)	
Sodium dodecylbenzenesulfonate (25155-3	0-0)	
LD50 oral rat	438 mg/kg	
Isopropyl alcohol (67-63-0)		
IARC group	3	

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ethyl alcohol (64-17-5)	
LC50 fish 1	9.468 (9.468 - 12.624) mg/l (Exposure time: 96 h - Species: Oncorhynchus
	mykiss [static]) converted from ml/l
EC50 Daphnia 1	9268 (9268 - 14221) mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	10800 mg/l (Exposure time: 24 h - Species: Daphnia magna)
Isopropyl alcohol (67-63-0)	
LC50 fish 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-

	through])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
LC50 fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 other aquatic organisms 2	1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)

Not persistent, readily degradable.

10.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

LC50 fish 1

Persistence And Degradability

l	HZPRO Detergent
I	Persistence and degradability

Ethyl alcohol (64-17-5)

Persistence and degradability

Sodium dodecylbenzenesulfonate (25155-30-0)

Bioaccumulative Potential

H2PRO Detergent

Bioaccumulative potential

Not expected to bioaccumulate.

Not established.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethyl alcohol (64-17-5)	
Log Pow	-0.32
Bioaccumulative potential	Not established.
Isopropyl alcohol (67-63-0)	
Log Pow	0.05 (at 25 °C)
Mobility In Soil Not available	

Other Adverse Effects

Other information: Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste disposal recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations. Do not dispose of unused product into sewers and waterways.

RCRA/EPA waste information: Contains no material listed by RCRA as a hazardous waste.

SECTION 14: TRANSPORT INFORMATION

In accordance with ICAO/IATA/DOT/TDG

UN Number Not regulated for transport

UN Proper Shipping Name Not regulated for transport

Additional information Not regulated for transport

Overland transport Not regulated for transport

<u>Transport by sea</u> Not regulated for transport

<u>Air transport</u> Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal regulations

Sara Title III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories:

Fire: No. Pressure Generating: No. Reactivity: No. Acute: No. Chronic: No.

313 Reportable Ingredients: See below.

CERCLA (Comprehensive Response, Compensation, and Liability Act)

Cercla RQ: Not applicable.

RCRA Status: See Section 13.

Ethyl alcohol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Isopropyl alcohol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
SARA Section 313 - Emission Reporting	1.0 % (only if manufactured by the strong acid process, no supplier notification)

Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salts (68585-34-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Sodium dodecylbenzenesulfonate (25155-30-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

US State regulations

California Proposition 65

This product contains no ingredients known to the state of California to cause cancer, birth defects, or other reproductive harm.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethyl alcohol (64-17-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Isopropyl alcohol (67-63-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Sodium dodecylbenzenesulfonate (25155-30-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Canadian regulations

H2PRO Detergent			
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects		
Ethyl alcohol (64-17-5)			
Listed on the Canadian DSL (Domestic Sustances List) inventory.			
Listed on the Canadian Ingredient Disclosure List			
WHMIS Classification	Class B Division 2 - Flammable Liquid		
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects		
Isopropyl alcohol (67-63-0)			
Listed on the Canadian DSL (Domestic Sustances List) inventory.			
Listed on the Canadian Ingredient Disclosure List			
WHMIS Classification	Class B Division 2 - Flammable Liquid		
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects		

Poly(oxy-1,2-ethanediyl), .alphasulfoomegahydroxy-, C10-16-alkyl ethers, sodium salts (68585-34-2)				
Listed on the Canadian DSL (Domestic Sustances List) inventory.				
Sodium dodecylbenzenesulfonate (25155-30-0)				
Listed on the Canadian DSL (Domestic Sustances List) inventory.				
Listed on the Canadian Ingredient Disclosure List				
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
This product has been classified in accordance with the bazard criteria of the Controlled Products Regulations (CPR) and the MSDS				

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

SECT	ION 16: OTHER INFORMATION		
Indication of changes Other information		: 06/19/2013	
		: This document has been prepared in accordance with the SDS requirements of the	
		OSHA Hazard Communication Standard 29 CFR 1910.1200.	
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
	H319	Causes serious eve irritation	

GHS Full Text Phrases (Full text phrases for mixture classifications, see section 2 for mixture classification)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard NFPA fire hazard NFPA reactivity	 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given. 0 - Materials that will not burn. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. 			
HMIS III Rating				
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible			
Flammability	: 0 Minimal Hazard			
Physical	: 0 Minimal Hazard			
Party Responsible For The Preparation Of This Document:				
R. R. Street & Co. Inc.				
Phone Number: 630-416-4244				

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS